



Tidy Storage Tent : MP9518

USER GUIDE



**Please read this user guide before attempting to set up your Tidy Storage Tent.
Follow the user guide carefully and keep for future reference.**

A copy of the user guide is also available on our website www.maypoleltd.com

WARNING – GENERAL SAFETY

- Not to be used in strong winds and extreme weather conditions.

CARE OF YOUR TIDY STORAGE TENT

- Allow material to dry completely before storing in the storage bag provided.
- Remove dirt with a soft sponge and warm water. DO NOT use detergent.
- DO NOT expose to sparks, flames or other sources of ignition.
- NOTE – during certain conditions moisture maybe visible on the inside of the material. This is the natural build of condensation and should not be mistaken for leaking.

CONTENTS

Tidy Storage Tent x 1

Long Fibreglass poles x 2

Short Fibreglass roof poles x 7

Guy Ropes x 4

Pegs x 14

Carry Bag x 1

BEFORE USE

Choose a clear site that is flat and if possible sheltered from the wind. Remove any sharp objects from the pitching area which could be dangerous or potentially damage the fabric.


Note – when storing bikes it is recommended to use a stand to support the bikes.

FITTING INSTRUCTIONS

Remove the Tidy Storage Tent from the carry bag and place on the ground.

Pre-assemble both long fibreglass poles.

Insert a long fibreglass pole into the front sleeve of the tent. Secure the fibreglass pole into both the bottom eyelets. Repeat for the back sleeve.



Assemble all short fibreglass roof poles, inserting each short fibreglass roof pole into the eyelets provided.



Once you have selected a suitable location to pitch your tent; peg down each corner and side. Ensure the tent is taught when pegging so it forms the correct shape.



The front door can be zipped closed or rolled up and held by toggles.

The final step is to peg the guy ropes. Tie a guy rope around each of the 4 top corner eyelets.



It is recommended each peg is driven fully into the ground at an angle of 45 Degrees away from the pegging point. Tension each guy rope using the guy adjusters.



Handwritten signature

Technical Manager Maypole Ltd November 2019

Email: sales@maypoleltd.co.uk

Web: www.maypoleltd.com